

RIDA® QUICK Gliadin - hromatografski test

Upotreba:

- kontrola radnih površina (uzimanje briseva)
- kontrola prisustva gliadina (glutena) u ulaznim sirovinama i gotovim proizvodima


Opis testa:

Osetljivost: 5,0 ppm glutena pri korišćenju R5 monoklonskih antitela

Trajanje testa: 5 min

Rezultat: vizualna interpretacija

Sadržaj kita: 25 testnih tračica, 25 pipeta za jednokratnu upotrebu, 30 epruveta, pufer



R7003



R7004



R7005

Kat. br.	Proizvod	Pakiranje
R7003	RIDA® QUICK Gliadin	25
R7004	RIDA® QUICK Gliadin - single pack	25
R7005	RIDA® QUICK Gliadin - ready to swab	25

Dodatna oprema

BS800-25	Pripravljeni brisi za površine	25
R7012	Set of 3 processed Gliadin Assay Controls	3x1.5g
R7006	Coctail raztopina (patentirana)	105 ml

Provedba testa:



Brzi alergenski testovi u obliku testnih tračica u industriji se upotrebljavaju kao kvalitativna metoda za određivanje ostataka alergena u uzorcima, sirovinama, površinama i ispirnoj vodi.

Opis testa:

Osetljivost: 1,0 ppm (mg/kg)

Trajanje testa: 5 min

Rezultat: vizualna interpretacija

Sadržaj kita: 10 testnih tračica, 10 pipeta za jednokratnu upotrebu, 10 epruveta, pufer



Kat. br.	Proizvod	Pakiranje
BL600-10	Coconut	10
BL601-10	Almond	10
BL602-10	Brazil nut	10
BL603-10	Mustard/Senf	10
BL604-10	Hazelnut	10
BL605-10	Macadamia nut	10
BL606-10	Peanut	10
BL607-10	Walnut	10
BL608-10	EI/Egg	10
BL609-10	Sesame	10
BL610-10	Cashew kernel	10
BL611-10	Pistachio	10
BL613-10	Milk	10
BL616-10	Crustacean	10
R7103	RIDA®QUICK Soya	25

Provedba testa:

